

ABOUT OUR COMPANY



Da Jiun Co., Ltd. was founded in 1984 as a hand tool supplier specialized in the production of torque wrenches and torque screwdrivers. We take practical steps and uphold the principles of seeking refinement, accuracy, reliability, efficiency and variation, continuing to innovate and develop our products.


All of our products are compatible with machinery, automobiles, motorcycles, bicycles and different fields of computer, communication and consumer electronics. Along with the technology trends, we are manufacturing useful electronic torque tools with higher precision and better quality.

Through our professional and subtle techniques, Da Jiun will continuously persist in developing quality torque products as well as explore other fields.





DA JIUN CO., LTD.
No. 147-5, Nanqian Ln., Wufeng Dist.,
Taichung City 41359, Taiwan
Tel: 886-4-2332 0399 Fax: 886-4-2332 0199
E-mail: d0681@ms29.hinet.net
www.dajiun-tools.com



MICROMETER TORQUE WRENCH




Item No.	Square Driver	Teeth	Range	L (mm)	Packing
621A-24	1/4" or 3/8"	24	2-24Nm	275	20CTN/15/16/0.9'
621A-25	1/4" or 3/8"	24	5-25Nm	275	20CTN/15/16/0.9'
621A-200	1/4" or 3/8"	24	20-200in-lb	275	20CTN/15/16/0.9'

Packing: Blow mold case



Item No.	Square Driver	Teeth	Range	L (mm)	Packing
607A-420	3/4"	24	70-420Nm	635	6CTN/23/24/1.5'
607A-300	3/4"	24	50-300ft.lb	635	6CTN/23/24/1.5'

Packing: Blow mold case



Item No.	Square Driver	Teeth	Range	L (mm)	Packing
620A-105	3/8"	24	7-105Nm	370	20CTN/21/22/1.4'
620A-112	3/8"	24	7-112Nm	370	20CTN/21/22/1.4'
620A-80	3/8"	24	10-80ft.lb	370	20CTN/21/22/1.4'

Packing: Blow mold case / Double Blister



Item No.	Square Driver	Teeth	Range	L (mm)	Packing
607B-420	3/4"	24	70-420Nm	665	6CTN/23/24/1.5'
607B-300	3/4"	24	50-300ft.lb	665	6CTN/23/24/1.5'

Packing: Blow mold case



Item No.	Square Driver	Teeth	Range	L (mm)	Packing
603A-210	1/2"	24	28-210Nm	470	12CTN/19/20/1.3'
603A-150	1/2"	24	20-150ft.lb	470	12CTN/19/20/1.3'

Packing: Blow mold case / Double Blister / Color box



Item No.	Square Driver	Teeth	Range	L (mm)	Packing
606A-350	1/2"	24	70-350Nm	635	8CTN/21.5/22.5/1.2'
606A-250	1/2"	24	25-250ft.lb	635	8CTN/21.5/22.5/1.2'

Packing: Blow mold case / Color box

MICROMETER TORQUE WRENCH



Item No.	Square Driver	Teeth	Range	L (mm)	Packing
622A-210	1/2" & 3/8"	24	28-210Nm	470	12CTN/21/22/1.3'
622A-150	1/2" & 3/8"	24	20-150ft.lb	470	12CTN/21/22/1.3'

Packing: Blow mold case



Item No.	Square Driver	Teeth	Range	L (mm)	Packing
604A-108.5	3/8"	45	13.6-108.5Nm	270	20CTN/16/17/0.9'
604A-112	3/8"	45	14-112Nm	270	20CTN/16/17/0.9'
604A-960	3/8"	45	120-960in-lb	270	20CTN/16/17/0.9'

Packing: Blow mold case / Double Blister / Color box



Item No.	Square Driver	Teeth	Range	L (mm)	Packing
626-210	1/2"	24	28-210Nm	450	12CTN/17/17.5/1'
626-150	1/2"	24	10-150ft.lb	450	12CTN/17/17.5/1'

Packing: Blow mold case



Item No.	Square Driver	Teeth	Range	L (mm)	Packing
601A-108.5	3/8"	45	13.6-108.5Nm	270	20CTN/16/17/0.9'
601A-112	3/8"	45	14-112Nm	270	20CTN/16/17/0.9'
601A-960	3/8"	45	120-960in-lb	270	20CTN/16/17/0.9'

Packing: Blow mold case / Double Blister / Color box



Item No.	Square Driver	Teeth	Range	L (mm)	Packing
627-100	3/8"	24	20-100ft.lb	450	20CTN/22/23/1.7'

Packing: Blow mold case



Item No.	Square Driver	Teeth	Range	L (mm)	Packing
628-250	1/2"	24	50-250ft.lb	570	12CTN/18/19.5/1.2'

Packing: Blow mold case

WINDOW CLICK TYPE TORQUE WRENCH



Item No.	Square Driver	Teeth	Range	L (mm)	Packing
640A-210	1/2"	48	42-210Nm	510	12CTN/21/22/1.4'
640A-150	1/2"	48	30-150ft.lb	510	12CTN/21/22/1.4'
640C-350	1/2"	48	70-350Nm	593	8CTN/16/17/1.5'
641A-119	3/8"	48	21-119Nm	390	16CTN/18/19/1.3'
641B-60	3/8"	48	10-60Nm	390	16CTN/18/19/1.3'
641B-100	3/8"	48	10-100ft.lb	390	16CTN/18/19/1.3'

Packing: Blow mold case



Item No.	Square Driver	Teeth	Range	L (mm)	Packing
650A-25	1/4"	72	5-25Nm	300	16CTN/16/17/1.3'
650A-30	1/4"	72	6-30Nm	300	16CTN/16/17/1.3'

Packing: Blow mold case



Item No.	Square Driver	Teeth	Range	L (mm)	Packing
650B-50	3/8"	72	5-50Nm	390	16CTN/18/19/1.3'
650B-60	3/8"	72	5-60Nm	390	16CTN/18/19/1.3'
650C-100	3/8" or 1/2"	72	20-100Nm	390	16CTN/18/19/1.3'

Packing: Blow mold case



Item No.	Square Driver	Teeth	Range	L (mm)	Packing
650D-200	1/2"	72	40-200Nm	490	12CTN/21/22/1.4'
650E-350	1/2"	72	70-350Nm	572	8CTN/16/17/1.5'

Packing: Blow mold case



Item No.	Square Driver Teeth	Range	L (mm)	Packing
654A-50	1/4"	72 10-50Nm	390	16CTN/20/21/2.3'
654B-100	3/8"	72 20-100Nm	390	16CTN/22/23/2.3'
654C-200	1/2"	72 40-200Nm	490	12CTN/22.3/23.2/2.3'

Packing: Blow mold case



Sound / Vibrate

Item No.	Square Driver Teeth	Range	L (mm)	Packing
654H-200	1/2"	36 40-200Nm	455	12CTN/19.5/20.5/1.81'

Packing: Blow mold case



Item No.	Packing
654I	48CTN/18.8/19.8/1.7'

Packing: Blow mold case



Fixed Torque Wrench

Item No.	Square Driver Teeth	Range	L (mm)	Color	Packing
642-88	1/2"	72 88Nm/65ft.lb	480	Yellow	12CTN/21/22/1.4'
642-108	1/2"	72 108Nm/80ft.lb	480	Blue	12CTN/21/22/1.4'
642-135	1/2"	72 135Nm/100ft.lb	480	Gray	12CTN/21/22/1.4'
642-163	1/2"	72 163Nm/120ft.lb	480	White	12CTN/21/22/1.4'
642-190	1/2"	72 190Nm/140ft.lb	480	Aqua	12CTN/21/22/1.4'

Packing: Blow mold case





Mini Type

Item No.	Square Driver Teeth	Range	L (mm)	Packing
652H-15	1/4"	72 2-15Nm	225	36CTN/12.7/13.3/1.2'
652H-150	1/4"	72 10-150in-lb	225	36CTN/12.7/13.3/1.2'

Packing: P.P. / Blow mold case



Item No.	Square Driver Teeth	Range	L (mm)	Packing
652A-20	1/4"	24 4-20Nm	335	16CTN/17/18/1.7'
652A-100	1/4"	24 20-100in-lb	335	16CTN/17/18/1.7'
652A-200	1/4"	24 40-200in-lb	335	16CTN/17/18/1.7'

Packing: P.P. / Blow mold case



Item No.	Square Driver Teeth	Range	L (mm)	Packing
652B-100	3/8"	24 20-100Nm	440	12CTN/20.6/21.6/1.7'
652B-80	3/8"	24 10-80ft.lb	440	12CTN/20.6/21.6/1.7'

Packing: Blow mold case




Item No.	Square Driver Teeth	Range	L (mm)	Packing
652C-200	1/2"	24 40-200Nm	600	8CTN/20/21/1.6'
652C-150	1/2"	24 30-150ft.lb	600	8CTN/20/21/1.6'
652D-340	1/2"	24 60-340Nm	600	8CTN/20/21/1.6'
652D-250	1/2"	24 30-250ft.lb	600	8CTN/20/21/1.6'

Packing: Blow mold case



Item No.	Square Driver Teeth	Range	L (mm)	Packing
652E-450	3/4"	24 50-450Nm	1045	2CTN/14.5/15.5/1.8'
652F-800	3/4"	24 150-800Nm	1230	2CTN/16.6/17.6/1.8'
652F-600	3/4"	24 100-600ft.lb	1230	2CTN/16.6/17.6/1.8'

Packing: Blow mold case



Item No.	Square Driver Teeth	Range	L (mm)	Packing
652G-980	1"	24 140-980Nm	1230	2CTN/16.6/17.6/1.8'
652G-1000	1"	24 200-1000Nm	1230	2CTN/16.6/17.6/1.8'

Packing: Blow mold case



Insulated Torque Wrench

Item No.	Square Driver	Range	L (mm)	Packing
655A-100	3/8"	20-100Nm	230	12CTN/21/22/1.8'
655B-25	3/8"	5-25Nm	230	12CTN/16.5/17.5/1.3'

Packing: Blow mold case



Torque Screwdriver Set

Item No.	Square Driver	Range	L (mm)	Packing
644A-5	1/4"	1-5Nm	230	12CTN/11/12/1.2'
644B-10	1/4"	2-10Nm	230	12CTN/11/12/1.2'

Packing: Blow mold case



Torque Screwdriver

Item No.	Range	Packing
644E-9	1-9Nm, 1-Bit Holder for 6.35mm USE	36CTN/17.5/18/1'
644F-2	0.4-2Nm, 1-Bit Holder for 6.35mm USE	36CTN/9.6/10/1'

Packing: P.P. Tube



Torque Screwdriver Pre-Set Torque

Item No.	Range
644K	0.02-0.2Nm, 1-Bit Holder for 4mm USE

Packing: Bulk



Tyre Valve Core Torque Tool

Item No.	Torque	L (mm)	Packing
635C	0.4Nm, 3.5in-lb	125	20/100CTN/5/7/1.2'
635D	0.4Nm, 3.5in-lb	160	20/100CTN/5/7/1.2'

Packing: Blister + Card



632A



632B / 632C



632D

Torque Angular Gauge

Item No.	Square Driver	Packing
632A	1/2"	12/48CTN/9.7/10.5/1.5'
632B	1/2"	6/12CTN/6/7/2'
632C	3/4"	6/12CTN/8/9/2.24'
632D	1/2"	6/24CTN/9/9.8/2.7'

Packing: Blister + Card



Polish Accessory - Back PAD Kit

Item No.	Arbor	Pad	Packing
613B	1/4"	5"	10/100CTN/14/15/1.6'

Packing: PE Bag



Nut Splitter Set 4pcs

Item No.	Capacity	Packing
610	#1 9-12mm (5/16"-1/2")	15CTN/20.5/22.5/1'
	#2 12-16mm (1/2"-5/8")	
	#3 16-22mm (5/8"-7/8")	
	#4 22-27mm (7/8"-1-1/8")	

Packing: Blow mold case



Nut Splitter 2pcs

Item No.	Capacity	Packing
611A	#2 12-16mm (1/2"-5/8")	6/36CTN/19/21/1'
	#3 16-22mm (5/8"-7/8")	

Packing: Double Blister Card



Nut Splitter 2pcs

Item No.	Capacity	Packing
611B	#1 9-12mm (5/16"-1/2")	10/40CTN/17/19/1'
	#2 12-16mm (1/2"-5/8")	

Packing: Double Blister Card



Nut Splitter

Item No.	Capacity	Packing
631	7/16"-3/4"	12/72CTN/24/25/0.9'

Packing: Sliding Card



Screw Extractor 5pcs + Nut Splitter 2pcs

Item No.	Contents	Capacity	Packing
611C	1. 1/8"-1/4"	#2 12-16mm (1/2"-5/8")	40CTN/25/26/1.1'
	2. 1/4"-5/16"	#3 16-22mm (5/8"-7/8")	
	3. 5/16"-7/16"		
	4. 7/16"-9/16"		
	5. 9/16"-3/4"		

Packing: Sliding Card



Screw Extractor 5pcs + Nut Splitter 2pcs

Item No.	Contents	Capacity	Packing
611D	1. 1/8"-1/4"	#1 9-12mm (5/16"-1/2")	10/40CTN/16/17/1'
	2. 1/4"-5/16"	#2 12-16mm (1/2"-5/8")	
	3. 5/16"-7/16"		
	4. 7/16"-9/16"		
	5. 9/16"-3/4"		

Packing: Sliding Card



Screw Extractor 5pcs + Nut Splitter 1pc

Item No.	Contents	Capacity	Packing
611E	1. 1/8"-1/4"	#2 12-16mm (1/2"-5/8")	10/40CTN/16/17/1'
	2. 1/4"-5/16"		
	3. 5/16"-7/16"		
	4. 7/16"-9/16"		
	5. 9/16"-3/4"		

Packing: Sliding Card

WHEEL MASTER WRENCH



Wheel Master Wrench

Item No.	Socket	Packing
616A	17,19mm(11/16",3/4")	20CTN/20/21/1.3'
616B	19,21mm(3/4",13/16")	20CTN/21/22/1.3'
616C	17,19mm & 21,23mm(11/16",3/4" & 13/16",7/8")	20CTN/24/25/1.3'

Packing: Sliding Card





10 pcs TPMS

Item No.	Packing
644J	12CTN/11/12/1.6'



13 pcs TPMS

Item No.	Packing
644G	12CTN/14/15/2'



Rubber Cushion

Item No.	Size	Packing
613E	230x120mm	
613F	370x167mm	



Spoke Torque Wrench Set

Item No.	Packing
633C	



Torque Screwdriver with Window Scale Set

Item No.	Packing
644M	

